

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problems Mailbox.**

**This Page Blank (uspto)**

## PATENT ABSTRACTS OF JAPAN

(11)Publication number : 10-015285  
 (43)Date of publication of application : 20.01.1998

(51)Int.Cl.

D06F 35/00

(21)Application number : 08-211838  
 (22)Date of filing : 08.07.1996


(71)Applicant : FUKAZAWA KIYOSHI  
 (72)Inventor : FUKAZAWA KIYOSHI

## (54) WASHING BAG

## (57)Abstract:

PROBLEM TO BE SOLVED: To prevent a running scratched by a fastener or bad washing effect by deviating washing, by rounding an overlapping part to be attached on band net cloth and sewing the periphery part of the round net cloth together with the periphery edge part of the band net cloth.

SOLUTION: Band net cloth is rounded into a circle or near-circle shape attaching an overlapping part 4. The outer periphery part 5a and the outer periphery part 2a of round net cloth are overlapped and sewn together, and the outer periphery part 5b and the outer periphery part 3a of round net cloth are overlapped and sewn together to form this washing bag. Washing is put into the bag through an opening on the end of the overlapping part 4 to be washed, and put out on washing completion. Since a fastener is not used, washing such as stockings is prevented from a running when put in/out, and washing can be evenly washed since the bag is formed in a round shape.



## LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

\* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

CLAIMS

---

[Claim(s)]

[Claim 1] band-like -- reticulated -- the ground 1 [2 Drawing] \*\* -- it becomes a circular or circularly near form, forming a superposition portion 4 like -- as -- rounding off -- 5a and a circle configuration -- reticulated -- 2a, 5b. and a circle configuration of the ground 2 -- reticulated -- a wash bag which doubled 3b of the ground 3 and sutured a periphery edge.

---

[Translation done.]

## \* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

---

DETAILED DESCRIPTION

---

## [Detailed Description of the Invention]

[0001]

[Industrial Application] When taking a stocking in and out in a wash bag, this invention is hooked on a fastener, and it relates to the wash bag made without the fastener so that it may not \*\*\*\*.

[0002]

[Description of the Prior Art] When going the washing in and out, it hooks on a fastener and the stocking might be made to \*\*\*\* conventionally, since the fastener was used.

[0003]

[Problem(s) to be Solved by the Invention] This had a defect like the next.

(b) When going the washing in and out, it hooks on a fastener and the stocking might be made to \*\*\*\*, since the fastener was used.

(b) Although there was a superficial wash bag, deviation and dirt omission had the bad washing in the wash bag. This invention is made in order to remove these defects.

[0004]

[Means for Solving the Problem] band-like -- reticulated -- the ground 1 [2 Drawing] \*\* -- while forming the superposition portion 4 like -- the ground -- it rounds off so that it may become a circular or circularly near form. and 5a and a circle configuration -- reticulated -- 2a, 5b, and a circle configuration of the ground 2 -- reticulated -- 3b of the ground 3 is doubled and a periphery edge is sutured. This invention is a wash bag which consists of the above configurations.

[0005]

[Function] When washing the washing with a washer, in order to prevent a pain and slag, the washing is put into a wash bag and washed. but if the washing is put in and washed from the receipts-and-payments opening 7 and wash finishes, the washing will be taken out from the receipts-and-payments opening 7.

[0006]

[Example] Hereafter, the example of this invention is explained.

(b) band-like -- reticulated -- the ground 1 [2 Drawing] \*\* -- forming the superposition portion 4 like, it rounds off so that it may become a circular or circularly near form.

(b) 5a and a circle configuration -- reticulated -- 2a, 5b, and the circle configuration of the ground 2 -- reticulated -- double 3b of the ground 3 and suture a periphery edge. When using this with the above structures and it washes the washing with a washer, the washing is put into a wash bag and this invention washes it, in order to prevent a pain and slag, but if the washing is put in and washed from the receipts-and-payments opening 7 and wash finishes, it will take out the washing from the receipts-and-payments opening 7.

[0007]

[Effect of the Invention]

(b) When going the washing in and out, hook on a fastener and don't make a stocking \*\*\*\*, since a fastener is not used.


(b) Since it is a round shape, the washing is washable uniformly.

---

[Translation done.]

Drawing selection Representative drawing


---



[Translation done.]

Drawing selection drawing 2


---



[Translation done.]

Drawing selection drawing 3

---



[Translation done.]